

# SAFETY DATA SHEET

Revision Date 27-Feb-2018

Version 2

# **1. PRODUCT AND COMPANY IDENTIFICATION**

| Product identifier |        |
|--------------------|--------|
| Product Code       | 12690  |
| Product Name       | Eraser |

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet


Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 Emergency telephone number 24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

#### **Classification**

| Skin corrosion/irritation         | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |
| Acute aquatic toxicity            | Category 2 |
| Chronic aquatic toxicity          | Category 2 |

#### Label elements



#### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

#### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

#### **Precautionary Statements - Storage**

Store locked up.

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant.

## Hazards not otherwise classified (HNOC)

Other Information Unknown Acute Toxicity

0.1% of the mixture consists of ingredient(s) of unknown toxicity.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name       | CAS No.   | Weight-% | Trade Secret |
|---------------------|-----------|----------|--------------|
| Sodium Hypochlorite | 7681-52-9 | 1-5      | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

| First aid measures   |   |  |  |
|--|---|--|--|
| General advice   | Immediate medical attention is required.  |  |  |
| Skin Contact   | Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.  |  |  |
| Eye contact  | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.                                    |  |  |
| Inhalation   | Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.  |  |  |
| Ingestion  | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.<br>Never give anything by mouth to an unconscious person. Remove from exposure, lie down.<br>Clean mouth with water and drink afterwards plenty of water. Call a physician or poison<br>control center immediately.   |  |  |
| Self-protection of the first aider   | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.<br>Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give<br>artificial respiration with the aid of a pocket mask equipped with a one-way valve or other<br>proper respiratory medical device.  |  |  |
| Most important symptoms and effe   | cts, both acute and delayed   |  |  |
| Symptoms   | No Information available.   |  |  |
| Indication of any immediate medical attention and special treatment needed |   |  |  |
| Note to physicians   | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br>Possible perforation of stomach or esophagus should be investigated. Do not give<br>chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood<br>pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat<br>symptomatically. |  |  |

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

| Personal precautions               | Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.                                    |  |
|------------------------------------|--|--|
| Environmental precautions          |  |  |
| Environmental precautions          | Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. |  |
| Methods and material for containme | ent and cleaning up  |  |
| Methods for containment            | Prevent further leakage or spillage if safe to do so.  |  |
| Methods for cleaning up            | Dilute residual material with dilute acetic acid (vinegar) to pH of less than 10.  |  |

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not mix with acids.

## Conditions for safe storage, including any incompatibilities

| Storage Conditions     | Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container. |
|------------------------|---|
| Incompatible materials | Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum. Strong reducing agents.   |

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

#### Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name    | ACGIH TLV                    | OSHA PEL                               | NIOSH IDLH                   |
|------------------|------------------------------|--|------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup>               | IDLH: 10 mg/m <sup>3</sup>   |
| 1310-73-2        |                              | (vacated) Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup> |

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

| Engineering Controls               | Showers, Eyewash stations & Ventilation systems.   |  |  |
|------------------------------------|--|--|--|
| Individual protection measures, su | ch as personal protective equipment  |  |  |
| Eye/face protection                | Tight sealing safety goggles. Face protection shield.  |  |  |
| Skin and body protection           | Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective gloves and protective clothing.   |  |  |
| Respiratory protection             | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.   |  |  |
| General Hygiene                    | When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. |  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Physical state |  |
|----------------|--|
| Appearance     |  |
| Odor           |  |
| Odor threshold |  |
|                |  |

**Property** pН **Specific Gravity** Viscosity Melting point/freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor density Water solubility **Partition Coefficient** (n-octanol/water) Autoignition temperature **Decomposition temperature** 

#### **Other Information**

Density Lbs/Gal VOC Content (%) Liquid Clear, Pale yellow/green Floral Slight chlorine No Information available

#### <u>Values</u> 11.0 - 12.0 1.030

No Information available No Information available 210 ° F

No Information available Complete No Information available No Information available No Information available

No Information available 0.04

Remarks • Method

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## Conditions to avoid

Exposure to air or moisture over prolonged periods. Extremes of temperature and direct sunlight.

## **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum. Strong reducing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen chloride. Phosgene.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

| Product Information | No data available  |
|---------------------|--|
| Inhalation          | Causes burns.  |
| Eye contact         | Corrosive to the eyes and may cause severe damage including blindness. |
| Skin Contact        | The product causes burns of eyes, skin and mucous membranes.           |
| Ingestion           | Causes burns.  |
|                     |  |

| Chemical Name                     | Oral LD50                               | Dermal LD50            | Inhalation LC50      |
|-----------------------------------|---|------------------------|----------------------|
| Sodium Hypochlorite<br>7681-52-9  | = 8200 mg/kg(Rat)                       | > 10000 mg/kg (Rabbit) | -                    |
| Sodium Lauryl Sulfate<br>151-21-3 | = 1288 mg/kg (Rat)= 1783 mg/kg<br>(Rat) | = 200 mg/kg (Rabbit)   | > 3900 mg/m³(Rat)1 h |

#### Information on toxicological effects

Symptoms

Ρ

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Corrosivity  | Causes burn<br>eyes.  | Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to  |     |      |  |
|--|---|---|-----|------|--|
| Sensitization<br>Germ cell mutagenicity<br>Carcinogenicity | May cause so<br>No Informatio   | eyes.<br>May cause sensitization by inhalation and skin contact.<br>No Information available.<br>The table below indicates whether each agency has listed any ingredient as a carcinogen.   |     |      |  |
| Chemical Name  | ACGIH   | IARC  | NTP | OSHA |  |
| Sodium Hypochlorite<br>7681-52-9                           | -   | Group 3   | -   | -    |  |
|  | IARC (International Agency for Research on Cancer)<br>Group 3 -Not classifiable as a human carcinogen |   |     |      |  |
| Reproductive toxicity                                      | No Information  | on available.   |     |      |  |
| STOT - single exposure                                     | No Information  | No Information available.   |     |      |  |
| STOT - repeated exposu                                     | re No Information   | No Information available.   |     |      |  |
| Chronic toxicity   | Chronic expo<br>necrosis. Bro<br>common. Ga<br>Possible risk  | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.<br>No Information available. |     |      |  |
| Aspiration hazard  | No Informatio   | on avallable.   |     |      |  |

## Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.1% of the mixture consists of ingredient(s) of unknown toxicity. The following values are calculated based on chapter 3.1 of the GHS document .

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

1.25% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name         | Algae/aquatic plants             | Fish                                 | Crustacea                          |
|-----------------------|----------------------------------|--------------------------------------|------------------------------------|
| Sodium Hypochlorite   | 0.095: 24 h Skeletonema costatum | 4.5 - 7.6: 96 h Pimephales promelas  | 0.033 - 0.044: 48 h Daphnia magna  |
| 7681-52-9             | mg/L EC50                        |                                      | mg/L EC50 Static 2.1: 96 h Daphnia |
|                       |                                  | Oncorhynchus mykiss mg/L LC50        | magna mg/L EC50                    |
|                       |                                  | flow-through 0.28 - 1: 96 h Lepomis  | magna mg/2 2000                    |
|                       |                                  |                                      |                                    |
|                       |                                  | macrochirus mg/L LC50                |                                    |
|                       |                                  | flow-through 0.03 - 0.19: 96 h       |                                    |
|                       |                                  | Oncorhynchus mykiss mg/L LC50        |                                    |
|                       |                                  | semi-static 0.06 - 0.11: 96 h        |                                    |
|                       |                                  | Pimephales promelas mg/L LC50        |                                    |
|                       |                                  | flow-through 0.18 - 0.22: 96 h       |                                    |
|                       |                                  | Oncorhynchus mykiss mg/L LC50        |                                    |
|                       |                                  | static 0.4 - 0.8: 96 h Lepomis       |                                    |
|                       |                                  | macrochirus mg/L LC50 static         |                                    |
|                       |                                  |                                      |                                    |
| Sodium Lauryl Sulfate | 42: 96 h Desmodesmus subspicatus |                                      | 1.8: 48 h Daphnia magna mg/L       |
| 151-21-3              | mg/L EC50 53: 72 h Desmodesmus   | mg/L LC50 static 15 - 18.9: 96 h     | EC50 21.2: 24 h Daphnia magna      |
|                       | subspicatus mg/L EC50 30 - 100:  | Pimephales promelas mg/L LC50        | mg/L EC50                          |
|                       | 96 h Desmodesmus subspicatus     | static 4.2: 96 h Oncorhynchus        |                                    |
|                       | mg/L EC50 3.59 - 15.6: 96 h      | mykiss mg/L LC50 9.9 - 20.1: 96 h    |                                    |
|                       | Pseudokirchneriella subcapitata  | Brachydanio rerio mg/L LC50          |                                    |
|                       | mg/L EC50 static 117: 96 h       | semi-static 10.2 - 22.5: 96 h        |                                    |
|                       | Pseudokirchneriella subcapitata  | Pimephales promelas mg/L LC50        |                                    |
|                       | mg/L EC50                        | semi-static 4.3 - 8.5: 96 h          |                                    |
|                       | ing/L LC30                       |                                      |                                    |
|                       |                                  | Oncorhynchus mykiss mg/L LC50        |                                    |
|                       |                                  | static 6.2 - 9.6: 96 h Pimephales    |                                    |
|                       |                                  | promelas mg/L LC50 1.31: 96 h        |                                    |
|                       |                                  | Cyprinus carpio mg/L LC50            |                                    |
|                       |                                  | semi-static 4.2 - 4.8: 96 h Lepomis  |                                    |
|                       |                                  | macrochirus mg/L LC50                |                                    |
|                       |                                  | flow-through 4.5: 96 h Lepomis       |                                    |
|                       |                                  | macrochirus mg/L LC50 4.06 - 5.75:   |                                    |
|                       |                                  | 96 h Lepomis macrochirus mg/L        |                                    |
|                       |                                  | LC50 static 10.8 - 16.6: 96 h        |                                    |
|                       |                                  | Poecilia reticulata mg/L LC50 static |                                    |
|                       |                                  | 4.62: 96 h Oncorhynchus mykiss       |                                    |
|                       |                                  |                                      |                                    |
|                       |                                  | mg/L LC50 flow-through 22.1 - 22.8:  |                                    |
|                       |                                  | 96 h Pimephales promelas mg/L        |                                    |
|                       |                                  | LC50 static 5.8 - 7.5: 96 h          |                                    |
|                       |                                  | Pimephales promelas mg/L LC50        |                                    |
|                       |                                  | static 13.5 - 18.3: 96 h Poecilia    |                                    |
|                       |                                  | reticulata mg/L LC50 semi-static     |                                    |
|                       |                                  | 7.97: 96 h Brachydanio rerio mg/L    |                                    |
|                       |                                  | LC50 flow-through 4.1: 48 h          |                                    |
|                       |                                  | Leuciscus idus mg/L LC50 static      |                                    |
| Sodium Hydroxide      | _                                | 45.4: 96 h Oncorhynchus mykiss       | <u> </u>                           |
| 1310-73-2             |                                  | mg/L LC50 static                     |                                    |
| Sodium Sulfate        |                                  |                                      | 2564: 48 h Daphnia magna mg/L      |
|                       | -                                | 3040 - 4380: 96 h Lepomis            | 1 0 0                              |
| 7757-82-6             |                                  | macrochirus mg/L LC50 static         | EC50 630: 96 h Daphnia magna       |
|                       |                                  | 13500: 96 h Lepomis macrochirus      | mg/L EC50                          |
|                       |                                  | mg/L LC50 13500 - 14500: 96 h        |                                    |
|                       |                                  | Pimephales promelas mg/L LC50        |                                    |
|                       |                                  | 6800: 96 h Pimephales promelas       |                                    |
|                       |                                  | mg/L LC50 static                     |                                    |
| 1-Octanol             | 14: 48 h Desmodesmus subspicatus | 11.4 - 12.9: 96 h Pimephales         | 15 - 26: 24 h Daphnia magna mg/L   |
| 111-87-5              | mg/L EC50 static 2.7: 96 h       | promelas mg/L LC50 flow-through      | EC50 4.78 - 8.87: 48 h Daphnia     |
|                       | Pseudokirchneriella subcapitata  | 17.68: 96 h Oncorhynchus mykiss      | magna mg/L EC50 Static 3: 48 h     |
|                       | mg/L EC50                        | mg/L LC50 static 4.78 - 8.85: 96 h   | Daphnia magna mg/L EC50 320: 48 1  |
|                       | mg/L ECOU                        |                                      |                                    |
|                       |                                  | Oncorhynchus mykiss mg/L LC50        | h Daphnia magna mg/L EC50 8.5:     |
|                       |                                  | static 3.6 - 5.1: 96 h Lepomis       | 48 h Daphnia magna mg/L EC50       |
|                       |                                  | macrochirus mg/L LC50 static 8.37:   |                                    |
|                       |                                  |                                      |                                    |

|                              |                            | 48 h Leuciscus idus mg/L LC50<br>5000: 48 h Leuciscus idus mg/L<br>LC50   |   |
|------------------------------|----------------------------|---|---|
| Sodium Chloride<br>7647-14-5 | ma<br>- 7<br>Pi<br>Or<br>f | 5560 - 6080: 96 h Lepomis<br>macrochirus mg/L LC50<br>pw-through 12946: 96 h Lepomis<br>acrochirus mg/L LC50 static 6020<br>7070: 96 h Pimephales promelas<br>mg/L LC50 static 7050: 96 h<br>timephales promelas mg/L LC50<br>semi-static 4747 - 7824: 96 h<br>incorhynchus mykiss mg/L LC50<br>flow-through 6420 - 6700: 96 h<br>timephales promelas mg/L LC50<br>static | 340.7 - 469.2: 48 h Daphnia magna<br>mg/L EC50 Static 1000: 48 h<br>Daphnia magna mg/L EC50 |

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Other adverse effects

No Information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### **14. TRANSPORT INFORMATION**

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

Not regulated

## **15. REGULATORY INFORMATION**

| International Inventories |                 |
|---------------------------|-----------------|
| TSCA                      | Complies        |
| DSL/NDSL                  | Complies        |
| EINECS/ELINCS             | Does not comply |
| ENCS                      | Does not comply |
| IECSC                     | Does not comply |
| KECL                      | Does not comply |
| PICCS                     | Does not comply |
| AICS                      | Does not comply |

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| SARA 311/312 Hazard Categories    |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name                    | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium Hypochlorite<br>7681-52-9 | 100 lb                         | -                      | -                         | Х                             |

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name        | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------|--------------------------|----------------|--------------------------|
| Sodium Hypochlorite  | 100 lb                   | -              | RQ 100 lb final RQ       |
| 7681-52-9            |                          |                | RQ 45.4 kg final RQ      |
| US State Regulations |                          |                |                          |

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Sodium Hypochlorite<br>7681-52-9 | Х          | X             | Х            |
| Sodium Hydroxide<br>1310-73-2    | Х          | X             | Х            |
| Sodium Sulfate<br>7757-82-6      | -          | X             | Х            |
| 1-Octanol<br>111-87-5            | -          | -             | Х            |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER | INFORMATION |
|-----------|-------------|
|-----------|-------------|

| HMIS_                 | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal protection X |
|-----------------------|------------------|----------------|--------------------|-----------------------|
| Legend                |                  |                |                    |                       |
| N/A - Not Applicable  |                  |                |                    |                       |
| N/E - Not Established |                  |                |                    |                       |
| N/D - Not Determined  |                  |                |                    |                       |
| N/K - Not Known       |                  |                |                    |                       |

Revision Date Revision Note 27-Feb-2018 No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet