

# SAFETY DATA SHEET

Revision Date 23-Oct-2018

Version 3

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier	
Product Code	27175
Product Name	Stain Pro 2

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

### **Classification**

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

### Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed

May be harmful in contact with skin

Causes severe skin burns and eye damage

Image: Control of the state sta

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. See a physician immediately.

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Store away from reactive metals and acids. Keep locked up and out of the reach of children.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

Other Information

First aid measures

0% of the mixture consists of ingredient(s) of unknown toxicity.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Hydroxide	1310-73-2	30-60	*
Sodium Carbonate	497-19-8	10-30	*
Sodium Metasilicate	6834-92-0	7-13	*
Sodium Percarbonate	15630-89-4	5-10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

First and measures			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice.		
Inhalation	If dust is formed or irritation occurs, leave area and do not return until dust has settled. If irritation persists, see a physician.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	May cause irritation and/or burning to eyes and skin. Irritation or burning to mucous membranes.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.		

# **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products Will react with zinc and aluminum to form hydrogen gas, which may accumulate to explosive concentrations.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.		
Environmental precautions			
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Avoid creating dust. Sweep up and shovel into suitable containers for disposal. Dilute residual material with dilute acetic acid (vinegar) to pH of less than 10.		

## 7. HANDLING AND STORAGE

Precautions for safe handling			
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.		
Incompatible materials	Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of moisture. Aluminum.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

NIOSH IDLH   NIOSH IDLH IDLH: 10 mg/m³   10LH: 10 mg/m³ Ceiling: 2 mg/m³   3 TWA: 5 mg/m³   on in AFL-CIO v. OSHA, 965 F.2d 962			
n <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup> <sup>3</sup> TWA: 5 mg/m <sup>3</sup>			
on in AFL-CIO v. OSHA, 965 F.2d 962			
on in AFL-CIO v. OSHA, 965 F.2d 962			
Showers, Eyewash stations & Ventilation systems.			
Individual protection measures, such as personal protective equipment			
Tight sealing safety goggles. Face protection shield.			
Wear chemical resistant gloves. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.			
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.			
r u			

General HygieneWhen using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear<br/>suitable gloves and eye/face protection. Take off all contaminated clothing and wash it<br/>before reuse. Contaminated work clothing should not be allowed out of the workplace.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Dust White Odorless No Information available
Property	Values
рН	12.5 - 13.5
Specific Gravity	No Information available
Viscosity	No Information available
Melting point/freezing point	No Information available
Boiling point / boiling range	N/A
Flash point	N/A
Evaporation rate	N/A
Flammability (solid, gas)	No Information available
Upper flammability limit:	N/A
Lower flammability limit:	N/A
Vapor pressure	N/A
Vapor density	N/A
Water solubility	N/A
Partition Coefficient	No Information available
(n-octanol/water)	
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

Density Lbs/Gal VOC Content (%) Remarks • Method 1% solution

Remarks

No Information available No Information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

### Conditions to avoid

Avoid moisture. Elevated temperature.

### **Incompatible materials**

Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of moisture. Aluminum.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Oxides of carbon.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	Causes burns.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	May be harmful in contact with skin.
Ingestion	Causes burns. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Sodium Carbonate 497-19-8	= 4090 mg/kg(Rat)	-	= 2300 mg/m³ (Rat)2 h
Sodium Metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-

### Information on toxicological effects

Symptoms

Ρ

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Corrosivity	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.
Sensitization	No Information available.
Germ cell mutagenicity	No Information available.
Carcinogenicity	No Information available.
Reproductive toxicity	No Information available.
STOT - single exposure	No Information available.
STOT - repeated exposure	No Information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target organ effects Aspiration hazard	EYES, Respiratory system, Skin. No Information available.

### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity. **The following values are calculated based on chapter 3.1 of the GHS document** .

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

11% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Sodium Carbonate	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus	265: 48 h Daphnia magna mg/L
497-19-8		mg/L LC50 static 310 - 1220: 96 h	EC50
		Pimephales promelas mg/L LC50	
		static	
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static 210: 96 h	EC50
		Brachydanio rerio mg/L LC50	
Sodium Percarbonate	70: 240 h Chlorella emersonii mg/L	70.7: 96 h Pimephales promelas	4.9: 48 h Daphnia pulex mg/L EC50
15630-89-4	EC50	mg/L LC50 static	
Sodium Tripolyphosphate	-	1650: 48 h Leuciscus idus mg/L	-
7758-29-4		LC50	

#### Persistence and degradability

No Information available.

### **Bioaccumulation**

No Information available.

Other adverse effects

No Information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive
Sodium Carbonate 497-19-8	Corrosive
Sodium Percarbonate 15630-89-4	Ignitable

# 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

#### DOT

**DOT Proper Shipping name** 

UN1759, Corrosive solid, n.o.s. (contains sodium hydroxide), 8, PG II

# **15. REGULATORY INFORMATION**

### International Inventories

Complies
Complies
Complies
Does not comply
Complies
Complies
Complies
Complies

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Yes
Yes
No
No
No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide	X	X	Х
1310-73-2			
Sodium Tripolyphosphate	-	X	Х
7758-29-4			
Tetrasodium Pyrophosphate	X	X	Х
7722-88-5			
Sodium Trimetaphosphate	-	Х	Х
7785-84-4			

### U.S. EPA Label Information EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
<u>HMIS</u>	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X
Legend N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known				
Issue Date	11-Apr-20			
Revision Date	23-Oct-20	18		
Revision Note	New forma	at		
Disclaimer				
The information provid	ed in this Safety Data S	Sheet is correct to the b	est of our knowledge, info	rmation and belief at the
				• • • • • • • • • • • • • • • • • • • •

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet