

SAFETY DATA SHEET

Issue Date No data available Revision Date 13-Jun-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 12145

Product Name Clear Coat Polish - Gold

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Seatex, Ltd. 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (800) 829-3020

Emergency telephone number

24 Hour Emergency Phone Number 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Causes skin irritation Causes serious eye irritation Toxic to aquatic life with long lasting effects



Appearance Gold Physical state Liquid Odor Cherry

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

Precautionary Statements - Storage

Store in a cool, dry place away from strong oxidizing agents. Keep out of reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

5.03% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Distillates (Petroleum Straight Middle)	64741-44-2	10-30	*
2-butoxyethanol	111-76-2	7-13	*
2-Propanol	67-63-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If irritation persists, call a physician.

Inhalation If mists/vapors are formed or irritation occurs, leave area and do not return until

mists/vapors have dissipated. If irritation persists, see a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Drink plenty of water. If irritation persists, see a physician.

Most important symptoms and effects, both acute and delayed

Symptoms Headache, nausea, CNS depression. Irritation to mucous membranes, pneumonitis

pulmonary edema.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Can form combustible mixtures with air when heated.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Stop leak if safe to do so. Dike area of spills to prevent spreading. Take up with sand or

other non-combustible absorbent material and place into containers for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
2-Propanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³

Methane, chloro 74-87-3	STEL: 100 ppm TWA: 50 ppm S*	TWA: 100 ppm (vacated) TWA: 50 ppm (vacated) TWA: 105 mg/m ³	IDLH: 2000 ppm
		(vacated) STEL: 100 ppm (vacated) STEL: 210 mg/m³ Ceiling: 200 ppm	

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear chemical resistant gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Cleveland Open Cup

(butyl acetate = 1)

General Hygiene Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Gold Odor Cherry

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.0 - 8.0 **Specific Gravity** 0.96

Viscosity

Melting point/freezing point

Boiling point / boiling range

No Information available

No Information available

> 212 / ° F Degrees

Boiling point / boiling range > 212 / ° F Degrees Flash point > 212 ° F Degrees Evaporation rate < 1

Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No Information available
No Information available
No Information available
No Information available

Water solubility Complete

Partition Coefficient No Information available

(n-octanol/water)

Autoignition temperature No Information available Decomposition temperature No Information available

Other Information

Density Lbs/Gal No Information available VOC Content (%) No Information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Can form combustible mixtures with air when heated.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible with oxidizing agents.

Hazardous Decomposition Products

Oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact Severely irritating to eyes.

Skin Contact Irritating to skin.

Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (Petroleum Straight Middle) 64741-44-2	> 5000 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	= 1700 mg/m³(Rat)4 h
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Quaternary Ammonium Compounds, DiCocoalkyl, Dimethyl, Chlorides 61789-77-3	= 960 mg/kg (Rat)	-	-
Cocamidopropyl Betaine 61789-40-0	= 4900 mg/kg (Rat)	-	-
Ethoxylated Alcohols 34398-01-1	= 750 mg/kg (Rat)	-	-
2-Propanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
Sodium Chloride 7647-14-5	= 3 g/kg (Rat)	> 10 g/kg(Rabbit)	> 42 g/m³ (Rat) 1 h
Acid Red #14 3567-69-9	> 10 g/kg (Rat)	-	-
Methane, chloro 74-87-3	= 1800 mg/kg (Rat)	-	= 5300 mg/m³(Rat)4 h

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol 111-76-2	A3	Group 3	-	-
2-Propanol 67-63-0	-	Group 3	-	X

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No Information available.
No Information available.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

5.03% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

30.02% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Cocamidopropyl Betaine 61789-40-0	1.0 - 10.0: 72 h Desmodesmus subspicatus mg/L EC50 0.55: 96 h Desmodesmus subspicatus mg/L EC50	1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 2: 96 h Brachydanio rerio mg/L LC50 semi-static	6.5: 48 h Daphnia magna mg/L EC50
2-Propanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
Sodium Chloride 7647-14-5	-	5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	1000: 48 h Daphnia magna mg/L EC50 340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static
Methane, chloro 74-87-3	-	550: 96 h Lepomis macrochirus mg/L LC50 static	-

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Distillates (Petroleum Straight Middle) 64741-44-2	3.9 - 6
2-butoxyethanol 111-76-2	0.81
2-Propanol 67-63-0	0.05

Other adverse effects No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

	Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes	
--	---------------	------	--------------------------	------------------------	------------------------	--

Methane, chloro	U045	Included in waste streams:	U045
74-87-3		F024, F025, F039, K009,	
		K010, K149, K150, K157	

Chemical Name	California Hazardous Waste Status
2-Propanol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** Complies **DSL/NDSL EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply Does not comply **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

Chemical Name	California Proposition 65
Methane, chloro - 74-87-3	Developmental
	Male Reproductive

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

<u>Legend</u>

N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

Revision Date 13-Jun-2015

Revision Note No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet