

# SAFETY DATA SHEET

Revision Date 25-Oct-2018

Version 3

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier	
Product Code	16760
Product Name	Lemon Q Cleaner

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

**Classification** 

Label elements

 Emergency Overview

 Appearance Yellow
 Physical state Liquid
 Odor Lemon

# **Precautionary Statements - Prevention**

Avoid release to the environment.

# Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

#### **Precautionary Statements - Storage**

Store in a cool, dry place away from strong oxidizing agents. Keep locked up and out of the reach of children. **Precautionary Statements - Disposal** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Disposal should be in accordance with applicable regional, hallonal and local laws and rec

# Hazards not otherwise classified (HNOC)

# Other Information

0.34% of the mixture consists of ingredient(s) of unknown toxicity.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Na	me	CAS No.	Weight-%	Trade Secret
Nonylphenol Polyethylene Glycol Ether 12		127087-87-0	1-5	*
Ethanol		64-17-5	.1-1	*
*The exact	· · · ·	ration) of composition has		secret.
	4.	FIRST AID MEASUR	ES	
First aid measures				
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.			
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If irritation persists, call a physician.			
nhalation	If mists/vapors are formed or irritation occurs, leave area and do not return until mists/vapors have dissipated. If irritation persists, see a physician.			
ngestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. If irritation persists, see a physician.			
Most important symptoms ar	d effects, both acut	e and delayed		
Symptoms	The product causes irritation of eyes, skin and mucous membranes. May cause sensitization by skin contact.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
5. FIRE-FIGHTING MEASURES				

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

# Methods and material for containment and cleaning up

Methods for containment Prevent

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Contain spill. Clean up with inert material and place in a properly labeled container.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

ACGIH TLV	OSHA PEL	NIOSH IDLH
STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
	(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
	(vacated) TWA: 1900 mg/m <sup>3</sup>	-
Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
	STEL: 1000 ppm	STEL: 1000 ppm         TWA: 1000 ppm           TWA: 1900 mg/m³         TWA: 1900 mg/m³           (vacated) TWA: 1000 ppm         (vacated) TWA: 1900 mg/m³           Ceiling: 2 mg/m³         TWA: 2 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other InformationVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962<br/>(11th Cir., 1992).

# Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.

# Skin and body protection Rubber gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene

**Specific Gravity** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Yellow
Odor	Lemon
Odor threshold	No Information available
<u>Property</u>	<u>Values</u>
pH	10.0 - 11.0

1.009

Remarks • Method

Viscosity Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate	No Information available No Information available > 212 / ° F Degrees N/A < 1	Remarks (butyl acetate = 1)
Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Water solubility Partition Coefficient (n-octanol/water) Autoignition temperature	No Information available N/A N/A N/A Complete No Information available No Information available	
Decomposition temperature	No Information available	
Other Information		
Density Lbs/Gal VOC Content (%)	No Information available 0.17	
	10. STABILITY AND RI	EACTIVITY

# **Reactivity**

No data available

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to avoid**

No special precautions beyond standard safe industrial practices.

# **Incompatible materials**

Strong oxidizing agents.

# **Hazardous Decomposition Products**

Oxides of carbon and nitrogen.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Nonylphenol Polyethylene Glycol	= 1310 mg/kg (Rat) = 2590 mg/kg	= 2 mL/kg (Rabbit)= 1780 µL/kg (	-
Ether 127087-87-0	( Rat )	Rabbit)	
Alkyl dimethyl benzyl ammonium chloride 68391-01-5	= 500 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	-

# Lemon Q Cleaner

Alkyl dimethyl ethylbenzyl ammonium chloride 85409-23-0	= 250 mg/kg(Rat)	= 3400 mg/kg(Rabbit)	= 86 mg/L(Rat)4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)= 10 g/kg ( Rat)	-	-
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Trisodium nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat)4 h
Amines, C12-18, alkyldimethyl 68391-04-8	= 750 mg/kg ( Rat )	> 2000 mg/kg(Rabbit)	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Ethylenediaminetriacetic Acid, trisodium salt (ED3Ana3) 19019-43-3	= 1780 mg/kg ( Rat )	-	-
FD&C Yellow #5 1934-21-0	> 2000 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	
Germ cell mutagenicity	
Carcinogenicity	

No Information available. No Information available. The table below indicates

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	Х
64-17-5				
ACGIH (American Conference of Governmental Industrial Hygienists)				
A3 - Animal Carcinogen				
IARC (International Agency for Research on Cancer)				
Group 1 - Carcinogenic to Humans				

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicityNo Information available.STOT - single exposureNo Information available.

STOT - repeated exposure<br/>Chronic toxicityNo Information available.<br/>Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

. . . . . .

Aspiration hazard

# Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.34% of the mixture consists of ingredient(s) of unknown toxicity. **The following values are calculated based on chapter 3.1 of the GHS document** .

No Information available.

consumed as alcoholic beverage.

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# 0.86% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Alkyl dimethyl benzyl ammonium	-	1.3: 96 h Poecilia reticulata mg/L	-
chloride		LC50 semi-static 0.823 - 1.61: 96 h	
68391-01-5		Oncorhynchus mykiss mg/L LC50	
		static 2.4: 96 h Oryzias latipes mg/L	
		LC50 semi-static 0.223 - 0.46: 96 h	
		Lepomis macrochirus mg/L LC50	
		static	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L

		# 1070	=
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50
		macrochirus mg/L LC50 static	
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 10800: 24 h Daphnia
		Pimephales promelas mg/L LC50	magna mg/L EC50 2: 48 h Daphnia
		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	93 - 170: 96 h Pimephales promelas	560 - 1000: 48 h Daphnia magna
5064-31-3	mg/L EC50	mg/L LC50 flow-through 252: 96 h	mg/L LC50
	-	Lepomis macrochirus mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static 72 - 133: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 560 - 1000: 96	
		h Poecilia reticulata mg/L LC50	
		semi-static 470: 96 h Pimephales	
		promelas mg/L LC50 static 175 -	
		225: 96 h Lepomis macrochirus	
		mg/L LC50 static 560 - 1000: 96 h	
		Oryzias latipes mg/L LC50 114: 96	
		h Pimephales promelas mg/L LC50	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

# Persistence and degradability

No Information available.

#### Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Ethanol	-0.32
64-17-5	

Other adverse effects

No Information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic
64-17-5	Ignitable

# **14. TRANSPORT INFORMATION**

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International	<b>Inventories</b>
TSCA	

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply Does not comply

# Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute health hazard	

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **US State Regulations**

# **California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	Х	Х	Х
64-17-5			
Trisodium nitrilotriacetate	-	Х	-
5064-31-3			
Sodium Hydroxide	Х	Х	Х
1310-73-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

# **16. OTHER INFORMATION**

Health hazards 1 Flammability 0

Physical hazards 0

Personal protection X

Legend N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

Issue Date	12-Jul-2012
Revision Date	25-Oct-2018
Revision Note	New format
<u>Disclaimer</u>	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet