

# SAFETY DATA SHEET

Issue Date 22-Mar-2001 Revision Date 01-Mar-2018 Version 2

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 23140
Product Name Clearview

#### Other means of identification

#### Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

#### Details of the supplier of the safety data sheet

#### Manufacturer / Manufactured For

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300

Emergency telephone number

24 Hour Emergency Phone Number: 1-800-535-5053

### 2. HAZARDS IDENTIFICATION

#### Classification

|  | Skin corrosion/irritation | Category 3 |
|--|---------------------------|------------|
|--|---------------------------|------------|

#### Label elements

## **Emergency Overview**

#### Warning

#### Hazard statements

Causes mild skin irritation

Appearance Clear, Blue Physical state Liquid Odor Solvent

## **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Induce vomiting, but only if victim is fully conscious.

## **Precautionary Statements - Storage**

Keep container tightly closed in a cool, dry and well-ventilated place away from strong acids and oxidizing agents. Keep locked up and out of the reach of children.

## **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Hazards not otherwise classified (HNOC)

#### Other Information

Unknown Acute Toxicity 0.03% of the mixture consists of ingredient(s) of unknown toxicity.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name   | CAS No.  | Weight-% | Trade Secret |
|-----------------|----------|----------|--------------|
| 2-butoxyethanol | 111-76-2 | 1-5      | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

**Skin Contact** Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin

irritation persists, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If irritation persists, call a physician.

Inhalation If mists/vapors are formed or irritation occurs, leave area and do not return until

mists/vapors have dissipated. If irritation persists, call a physician.

Induce vomiting with 2 glasses of water followed by 2 tablespoons of Syrup Ipecac. Never

give anything by mouth to an unconscious person. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Ingestion symptoms may include headache, nausea, stomach cramps and diarrhea.

Defatting of skin. May cause respiratory irritation. May cause eye irritation.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No Information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Dilute spilled material with water.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Keep container closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and

out of reach of children.

**Incompatible materials** Strong acids and oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

| Chemical Name   | ACGIH TLV   | OSHA PEL                             | NIOSH IDLH                |
|-----------------|-------------|--------------------------------------|---------------------------|
| 2-butoxyethanol | TWA: 20 ppm | TWA: 50 ppm                          | IDLH: 700 ppm             |
| 111-76-2        |             | TWA: 240 mg/m <sup>3</sup>           | TWA: 5 ppm                |
|                 |             | (vacated) TWA: 25 ppm                | TWA: 24 mg/m <sup>3</sup> |
|                 |             | (vacated) TWA: 120 mg/m <sup>3</sup> |                           |
|                 |             | (vacated) S*                         |                           |
|                 |             | S*                                   |                           |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear chemical resistant gloves. Other protective equipment not required under normal use.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear, Blue
Odor Solvent

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 7.5 - 8.5 **Specific Gravity** 1.000

ViscosityNo Information availableMelting point/freezing pointNo Information availableBoiling point / boiling range200 / ° F Degrees

Flash point N/A Evaporation rate N/A

Flammability (solid, gas) No Information available

Upper flammability limit: N/A
Lower flammability limit: N/A
Vapor pressure N/A
Vapor density N/A

Water solubility completely soluble
Partition Coefficient No Information available

(n-octanol/water)

Autoignition temperature No Information available Decomposition temperature No Information available

**Other Information** 

Density Lbs/Gal No Information available

**VOC Content (%)** 3.62

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

No special precautions beyond standard safe industrial practices.

#### Incompatible materials

Strong acids and oxidizing agents.

#### **Hazardous Decomposition Products**

Oxides of carbon and nitrogen.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin Contact** May cause irritation.

**Ingestion** No data available.

| Chemical Name   | Oral LD50         | Dermal LD50         | Inhalation LC50                 |
|-----------------|-------------------|---------------------|---------------------------------|
| 2-butoxyethanol | = 470 mg/kg (Rat) | = 99 mg/kg (Rabbit) | = 486 ppm (Rat) 4 h = 450 ppm ( |
| 111-76-2        |                   |                     | Rat ) 4 h                       |

#### Information on toxicological effects

**Symptoms** No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| 2-butoxyethanol | A3    | Group 3 | -   | -    |
| 111-76-2        |       |         |     |      |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No Information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.03% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0.03% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name         | Algae/aquatic plants             | Fish  | Crustacea                       |
|-----------------------|----------------------------------|---|---------------------------------|
| 2-butoxyethanol       | -                                | 1490: 96 h Lepomis macrochirus  | 1698 - 1940: 24 h Daphnia magna |
| 111-76-2              |                                  | mg/L LC50 static 2950: 96 h   | mg/L EC50 1000: 48 h Daphnia    |
|                       |                                  | Lepomis macrochirus mg/L LC50   | magna mg/L EC50                 |
| Sodium Lauryl Sulfate | 42: 96 h Desmodesmus subspicatus | 8 - 12.5: 96 h Pimephales promelas                                    | 1.8: 48 h Daphnia magna mg/L    |
| 151-21-3              | mg/L EC50 53: 72 h Desmodesmus   | mg/L LC50 static 15 - 18.9: 96 h                                      | EC50 21.2: 24 h Daphnia magna   |
|                       | subspicatus mg/L EC50 30 - 100:  | Pimephales promelas mg/L LC50   | mg/L EC50                       |
|                       | 96 h Desmodesmus subspicatus     | static 4.2: 96 h Oncorhynchus   |                                 |
|                       | mg/L EC50 3.59 - 15.6: 96 h      | mykiss mg/L LC50 9.9 - 20.1: 96 h                                     |                                 |
|                       | Pseudokirchneriella subcapitata  | Brachydanio rerio mg/L LC50   |                                 |
|                       | mg/L EC50 static 117: 96 h       | semi-static 10.2 - 22.5: 96 h   |                                 |
|                       | Pseudokirchneriella subcapitata  | Pimephales promelas mg/L LC50   |                                 |
|                       | mg/L EC50                        | semi-static 4.3 - 8.5: 96 h   |                                 |
|                       |                                  | Oncorhynchus mykiss mg/L LC50   |                                 |
|                       |                                  | static 6.2 - 9.6: 96 h Pimephales                                     |                                 |
|                       |                                  | promelas mg/L LC50 1.31: 96 h   |                                 |
|                       |                                  | Cyprinus carpio mg/L LC50   |                                 |
|                       |                                  | semi-static 4.2 - 4.8: 96 h Lepomis                                   |                                 |
|                       |                                  | macrochirus mg/L LC50   |                                 |
|                       |                                  | flow-through 4.5: 96 h Lepomis  |                                 |
|                       |                                  | macrochirus mg/L LC50 4.06 - 5.75:                                    |                                 |
|                       |                                  | 96 h Lepomis macrochirus mg/L   |                                 |
|                       |                                  | LC50 static 10.8 - 16.6: 96 h   |                                 |
|                       |                                  | Poecilia reticulata mg/L LC50 static                                  |                                 |
|                       |                                  | 4.62: 96 h Oncorhynchus mykiss  |                                 |
|                       |                                  | mg/L LC50 flow-through 22.1 - 22.8:                                   |                                 |
|                       |                                  | 96 h Pimephales promelas mg/L<br>LC50 static 5.8 - 7.5: 96 h          |                                 |
|                       |                                  |   |                                 |
|                       |                                  | Pimephales promelas mg/L LC50 static 13.5 - 18.3: 96 h Poecilia       |                                 |
|                       |                                  |   |                                 |
|                       |                                  | reticulata mg/L LC50 semi-static<br>7.97: 96 h Brachydanio rerio mg/L |                                 |
|                       |                                  | LC50 flow-through 4.1: 48 h   |                                 |
|                       |                                  | L050 110W-11110ug11 4.1. 46 11  |                                 |

| Leuciscus idus mg/L LC50 static |  |
|---------------------------------|--|

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

| Chemical Name   | Partition coefficient |
|-----------------|-----------------------|
| 2-butoxyethanol | 0.81                  |
| 111-76-2        |                       |

Other adverse effects No Information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

## 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

**DOT** Not regulated

| 15. REGULATORY INFORMA | NOITA |
|------------------------|-------|
|------------------------|-------|

**International Inventories** 

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

**ENCS** Does not comply

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name              | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| 2-butoxyethanol - 111-76-2 | 1.0                           |

| Acute health hazard               | No |
|-----------------------------------|----|
| Chronic Health Hazard             | No |
| Fire hazard                       | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

| Chemical Name               | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------|------------|---------------|--------------|
| 2-butoxyethanol<br>111-76-2 | X          | X             | X            |
| FD&C Blue #1<br>3844-45-9   | -          | X             | -            |

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not Applicable

| <b>16. OTHER INFORMATION</b> |  |
|------------------------------|--|
| 10. UTHER INFURIMATION       |  |

HMIS **Health hazards** 2 Flammability 0 Physical hazards 0 Personal protection X

#### Legend

N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

22-Mar-2001 **Issue Date Revision Date** 01-Mar-2018 **Revision Note** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**