

# SAFETY DATA SHEET

Revision Date 18-Oct-2018

Version 7

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product	identifier
Product	Code
Product	Name

RD102 Galaxy 51 Wave Plus

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

#### **Classification**

Skin corrosion/irritation

Category 3

#### Label elements

Emergency Overview		
Physical state Liquid	<b>Odor</b> Orange	

## Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists, see a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong oxidizing agents. Keep away from heat, sparks and open flame. Keep out of reach of children.

### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.51% of the mixture consists of ingredient(s) of unknown toxicity.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	1-5	*
Nonylphenol Polyethylene Glycol Ether	127087-87-0	1-5	*
Cocamide DEA	68603-42-9	.1-1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

	4. FIRST AID MEASURES		
First aid measures			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If irritation persists, call a physician.		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	Ingestion symptoms may include headache, nausea, stomach cramps and diarrhea. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause respiratory irritation. May cause redness and tearing of the eye. Defatting of skin. Prolonged or repeated contact may cause skin irritation or dermatitis.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
<b>Unsuitable extinguishing media</b> Caution: Use of water spray when fighting fire may be inefficient.			
<u>Specific hazards arising from the chemical</u> Thermal decomposition can lead to release of irritating and toxic gases and vapors.			
Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.			
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.			
6. ACCIDENTAL RELEASE MEASURES			
<b>_</b>			

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** 

Ensure adequate ventilation, especially in confined areas.

Environmental precautions	
Environmental precautions	See Section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Stop leak if safe to do so. Dike area of spills to prevent spreading. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

 Precautions for safe handling
 Handle in accordance with good industrial hygiene and safety practice.

 Conditions for safe storage, including any incompatibilities
 Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Keep out of the reach of children.

 Incompatible materials
 Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	-
		(vacated) S*	
		S*	
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Diethanolamine	TWA: 1 mg/m <sup>3</sup> inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
	S*	-	-

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear chemical resistant gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene**

Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

Method

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid Clear, Orange Orange No Information available	
Property	Values	Remarks • Metho
pH	10.0 - 11.0	
Specific Gravity	1.018	
Viscosity	No Information available	Remarks
Melting point/freezing point	No Information available	
Boiling point / boiling range	> 100 / ° F Degrees	Tog Closed Cup
Flash point Evaporation rate	> 202 ° F Degrees < 1	Tag Closed Cup
Flammability (solid, gas)	< I No Information available	(butyl acetate = 1)
Upper flammability limit:	N/A	
Lower flammability limit:	N/A	
Vapor pressure	N/E	
Vapor density	>1	
Water solubility	completely soluble	
Partition Coefficient	No Information available	
(n-octanol/water)		
Autoignition temperature	N/E	
Decomposition temperature	No Information available	
Other Information		
Density Lbs/Gal VOC Content (%)	No Information available 4.47	

# **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

**Chemical stability** Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks.

#### **Incompatible materials** Strong oxidizing agents.

**Hazardous Decomposition Products** 

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

**Product Information** 

No data available

Inhalation

No data available.

Eye contact	No data available.	
Skin Contact	May cause irritation.	

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 486 ppm (Rat)4 h = 450 ppm ( Rat)4 h
Cocamide DEA 68603-42-9	> 5000 mg/kg (Rat)= 12400 µL/kg (Rat)	> 2 g/kg (Rabbit)	-

## Information on toxicological effects

Symptoms

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	MAY CAUSE	SKIN IRRITATION.			
Sensitization	No Information available.				
Germ cell mutagenicity	No Information	No Information available.			
Carcinogenicity	The table belo	ow indicates whether each	agency has listed any in	gredient as a carcinogen.	
Chemical Name	ACGIH	ACGIH IARC NTP OSHA			
2-butoxyethanol 111-76-2	A3	Group 3	-	-	
Cocamide DEA 68603-42-9	-	Group 2B	-	Х	
Group 2B - Possibly Caro Group 3 -Not classifiable OSHA (Occupational Sa X - Present Reproductive toxicity		-	f Labor)		
STOT - single exposure	No Information available.				
STOT - repeated exposu	e No Information available.				
Chronic toxicity	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.				
	Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.				
Target organ effects	Blood, Centra system, Skin.	<b>,</b> , , , , , , , , , , , , , , , , , ,	nematopoietic system, Ki	dney, Liver, Respiratory	

Unknown Acute Toxicity 0.51% of the mixture consists of ingredient(s) of unknown toxicity. The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

2.31% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Linear Dodecyl Benzene Sulphonic Acid	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h	2.9: 48 h Daphnia magna mg/L EC50 5.88: 48 h Daphnia magna
27176-87-0		Brachydanio rerio mg/L LC50 static	mg/L EC50
		3: 96 h Oncorhynchus mykiss mg/L	
		LC50 static	
Cocamide DEA	-	3.6: 96 h Brachydanio rerio mg/L	4.2: 24 h Daphnia magna mg/L
68603-42-9		LC50 semi-static	EC50
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50

		macrochirus mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	
1310-73-2		mg/L LC50 static	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
	96 h Pseudokirchneriella	1200 - 1580: 96 h Pimephales	
	subcapitata mg/L EC50	promelas mg/L LC50 static 600 -	
		1000: 96 h Lepomis macrochirus	
		mg/L LC50 static	
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 12946: 96 h Lepomis	Daphnia magna mg/L EC50
		macrochirus mg/L LC50 static 6020	
		- 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 6420 - 6700: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Sodium Sulfate	-	3040 - 4380: 96 h Lepomis	2564: 48 h Daphnia magna mg/L
7757-82-6		macrochirus mg/L LC50 static	EC50 630: 96 h Daphnia magna
		13500: 96 h Lepomis macrochirus	mg/L EC50
		mg/L LC50 13500 - 14500: 96 h	
		Pimephales promelas mg/L LC50	
		6800: 96 h Pimephales promelas	
This sufficiency of the balance to the		mg/L LC50 static	500 4000 40 h Danka's manua
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	93 - 170: 96 h Pimephales promelas	
5064-31-3	mg/L EC50	mg/L LC50 flow-through 252: 96 h Lepomis macrochirus mg/L LC50	mg/L LC50
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static 72 - 133: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 560 - 1000: 96	
		h Poecilia reticulata mg/L LC50 560 - 1000. 96	
		semi-static 470: 96 h Pimephales	
		promelas mg/L LC50 static 175 -	
		225: 96 h Lepomis macrochirus	
		mg/L LC50 static 560 - 1000: 96 h	
		Oryzias latipes mg/L LC50 114: 96	
		h Pimephales promelas mg/L LC50	
		111 mophalos promotas mg/E E000	

## Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-butoxyethanol	0.81
111-76-2	

Other adverse effects

No Information available.

# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Complies
AICS	Does not comply

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %		
2-butoxyethanol - 111-76-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	No		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## US State Regulations

#### California Proposition 65

WARNING: This product can expose you to chemicals including Cocamide DEA and Diethanolamine which is known to the state of California to cause birth defects or other reproductive harm. For More Information go to www.P65Warnings.ca.gov.

Chemical Name	California Proposition 65	
Cocamide DEA - 68603-42-9	Carcinogen	
Diethanolamine - 111-42-2	Carcinogen	

## U.S. State Right-to-Know Regulations

## Galaxy 51 Wave Plus

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol 111-76-2	Х	X	Х
Trisodium Phosphate Anhydrous 7601-54-9	Х	X	Х
Linear Dodecyl Benzene Sulphonic Acid 27176-87-0	Х	X	X
Diethanolamine 111-42-2	Х	X	Х
Sodium Sulfate 7757-82-6	-	X	Х
Trisodium nitrilotriacetate 5064-31-3	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

# **16. OTHER INFORMATION**

HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection $X$
Legend N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known				
Issue Date	16-Jan-20	14		
Revision Date	18-Oct-20	18		
Revision Note	SDS secti	ons updated 2 4 6 11		
Disclaimer				
The last a new attack a new sold	ad the date Option Date O	hard in a summation that h	and affecting the second scheme the fact	we attain an disallation that

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet